Materials


Salad bowl Spoon Maizena (fine corn flour) Cup Water

Procedure

Pour two cups of maizena in the salad bowl. Little by little, start adding water, mixing the two ingredients slowly until you get a homogeneous mixture.

What is This?

You have just "cooked" a NON NEWTONIAN fluid. Try to punch its surface. It is like a solid! Introduce your finger slowly. It is like a liquid! It is two things at the same time!! HOW?





nanogune



Medium or small coffee?

Materials

Express pot
Polyspam coffee cup
Small metal colander
Water
Heating source

What has happened to the cup?

Surprise! Did you think that it will explode or melt...? The result is a mini-version of the original cup! The cup has shrinked! The cup is made of "polyspam", a very common packaging material.



Procedure

Place the small metal colander inside the express pot. Place the polyspam coffee cup on top of the colander. Pour up to one finger of water inside. Close and heat up the express pot until makes noise. Keep the pot under pressure 15 or 20 minutes. Cool down and open.

Its scientific name is expanded polystyrene. This material is a polymer "a plate of intertwined spaghettis" with large cavities of air inside. As we heat the pot, the water inside the pot evaporates, and the pressure increases. The pressure forces the release of the air trapped inside the "expanded" spaghetti network. As a result, the cup shrinks drastically, as you have seen, but keeping the polymer, the "spaghetti network", intact.







Materials

Whole milk

Plate

Food colouring*

Fairy soap

Ear swab

* Trick: it has to be liquid. Gels cannot be used

ар

Procedure

Pour whole milk to cover the bottom of the plate. Add droplets of food colouring on different spots. Wet the ear swab slightly with fairy soap and touch the milk surface with it.

What has happened?

At the milk surface, as it occurs to water and other liquids, there is a force that we call "surface tension". This tension "creates" an effect similar to having an elastic bed on top of the liquid surface, which allows small insects and reptiles to "walk" on.



The tension appears because of the interactions between the surface of milk and the surrounding air. When we touch this surface with soap, we make the superficial tension of the milk disappear. Soaps are "surfactant molecules" or "balls", which quickly spread out on the surface of the milk making the tension disappear.

The fast and energetic movement of these "surfactant balls" push the food colouring molecules (which can also be seen as balls) rapidly towards the edges of the plate, making this beautiful figures and shapes.







Magnifying water

Materials

Laser pointer
Tip of a pen (where the hole is)
Cello-tape
Dirty water, saliva

What has happened?


You have fabricated a homemade optical microscope! The only thing you need is a light source and a magnifying glass. In our case, the laser is the light source, and the droplet of water inside the pen tip acts as both magnifying glass and sample holder.




Procedure

Cover the tip of the laser pointer with the tip of the pen, and fix both parts with cello-tape. The tip of the pen will serve as a mini-water container. Wet the tip of the pen with dirty water from a pond/puddle or equivalent (very dirty!!). Switch the laser pointer on and point towards a white floor, wall or table.

This microscope allows us to magnify the size of an object 10,000 times! So we can see microorganisms, "tiny, tiny bugs".



Nowadays, there are non-optical microscopes, which can be used to "see" atoms!









Materials

Eggs

Vinegar

Transparent container with a lid

Procedure

Place the eggs in a container and dip them in vinegar. Close the container and keep it, as it is 24 hours.

¿Qué ha pasado?

24 hours later, the eggshell will disappear, leaving a "bare" egg behind, only protected by a thin and elastic membrane. This membrane is semi-transparent, so we can see the egg yolk inside!

Eggshell is composed of calcium carbonate (CaCO).

This mineral, salt, reacts with the acetic acid of vinegar. When this reaction occurs, calcium carbonate transforms into a new compound, which is water-soluble. As a result, the eggshell "disappears" little by little.

The bubbles you see are another product of the reaction, a gas named carbon dioxide (CO).











Materials

Boiled and bare egg
Glass bottle such that a boiled
egg can stand on the bottleneck
Alcohol
Toilet paper
Matches

What has happened?

When the flame disappears, the egg is "sucked" inside the bottle. Several things occurred while the paper was burning. The oxygen inside the bottle is consumed rapidly.

The remaining air inside the bottle, and gases evolving from the burned paper are heated up very quickly by the flame, the pressure increases, and part of the air escapes outside the bottle.



Procedure

Wet a chub of toilet paper in alcohol and place it inside the bottle. Light the match and through it inside the bottle. Place the egg rapidly on top of the bottleneck, "covering" its entrance.

As a result, we have less air inside! When the bottle cools down, the remaining air shrinks and the pressure drops inside. This pressure drop is so big that is able to suck the egg and also air from the outside.

How can we suck the egg out?

Blow air inside! Blow strong with the bottle tilted up and covering the entrance of the bottleneck with your lips. You will see how the egg comes out. You are increasing the pressure inside the bottle, so everything inside wants to escape again!





